

Non-Penetrating Antenna Roof Mount - Rubber Mat

HGX-NPM-MAT

Features

- 3/16" thick high density rubber
- · Placed directly on the roof
- · Improves surface tension

Applications

- Two (2) mats for peak roof mounts
- One (1) mat for flat roof mounts
- · Can be used for ergonomics

- · Reduces imprints or cuts to the roof surface
- · Weather resistant for long-lasting performance
- · Protective layer between roof surface and mounts
- · Protect surfaces from scratches, marring, or gouging

Description

The L-com's HGX-NPM-MAT non-penetrating antenna roof mount rubber mat is directly placed on the roof, providing maximum surface tension and surface protection. This rubber mat is 0.20-inches thick measuring 39.37-inches wide by 39.37-inches long. Our weather resistant, 3/16-inch thick, high density rubber mat provides long-lasting performance and reduces imprints or cuts to the roof surface.

For flat roof mounting, one mat is required, whereas two mats are needed for peak roof mounts. This non-penetrating antenna roof mount rubber mat can be used for ergonomic purposes. To prevent surfaces from being scratched, marred, or gouged, our HGX-NPM-MAT rubber mat forms a protective layer between the roof surface and non-penetrating mounts.

The L-com has the largest in-stock selection of non-penetrating antenna roof mount rubber mat with same-day shipping for domestic and international orders. Our portfolio includes coaxial cable assemblies, connectors, adapters, NEMA rated enclosures, and an RF product line which includes antennas, amplifiers, passive, and active components. For further information on similar products, our expert technical support and knowledgeable sales team can help you get the non-penetrating antenna roof mount rubber mat as per your requirement.

Mechanical Specifications

S	ize	
---	-----	--

 Length
 39.37 in [100 cm]

 Width
 39.37 in [100 cm]

 Height
 0.2 in [5.08 mm]

 Weight
 11.02 lbs [5 kg]

Environmental Specifications

Operating Temperature, Min
Operating Temperature, Max
Operating Temperature, Max
80 deg C
Package Quantity
1

Non-Penetrating Antenna Roof Mount - Rubber Mat from L-com has same day shipment for domestic and International orders. Our portfolio includes coaxial cable assemblies, connectors, adapters and custom products as well as lightning and surge protectors, NEMA

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Non-Penetrating Antenna Roof Mount - Rubber Mat



Non-Penetrating Antenna Roof Mount - Rubber Mat

HGX-NPM-MAT



rated enclosures, and an RF product line which includes antennas, amplifiers, passive, and active components.

The information contained within this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part in order to impliment improvements. L-com reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. L-com does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and L-com does not assume liability arising out of the use of any part or document.

L-com CAD Drawing

