

18 GHz SMA Female Connector Solder Attachment Press-In Mount Tab Terminal, .200 inch Diameter

#### **LCCN3164**

## Configuration

- SMA Female Connector
- MIL-STD-348
- 50 Ohms
- · Straight Body Geometry

- · Tab Interface Type
- · Solder Attachment
- Press-In

## **Description**

The L-com LCCN3164 SMA female connector has a brass body for telecommunications, data communication, general-purpose test, industrial fields, and rack and panel mount applications. This RF connector has a straight body style and gold contact plating. This threaded standard coaxial connector works on a maximum frequency of 18 GHz.

The 18 GHz SMA connector is available in a 0.562-inch length, 0.250-inch width, and 0.250-inch height. This straight coaxial connector has press-in mount. The tab terminal connector allows developers to configure and customize their signal connections however they desire. This SMA connector with solder attachment has a high-quality construction and an impedance of 50 ohms.

The LCCN3164 tab terminal RF connector with press-in mount has gold body plating. This 18 GHz brass coaxial connector comes with PTFE insulation. The SMA female connector weighs 0.005 pounds and is most used in USB software-defined radio dongles, handheld radios, mobile phone antennas, Wi-Fi antenna systems, and microwave systems.

L-com has the largest in-stock selection of RF and coaxial connectors with same-day shipping for domestic and international orders. We currently have a variety of antenna, audio/video, Ethernet, fiber optic, and USB connectors in our portfolio that are ready to ship today. For further information on similar products, our expert technical support and knowledgeable sales team can help you get the high-quality RF connector that meets your requirements.

#### **Electrical Specifications**

Description	Minimum	Typical	Maximum	Units
Frequency Range	DC		18	GHz
Operating Voltage (AC)			500	Vrms
Insulation Resistance	5,000			MOhms

## **Mechanical Specifications**

#### Size

Length	0.562in	[14.27mm]
Width/Dia.	0.25in	[6.35mm]
Height	0.25in	[6.35mm]
Weight	0.005lbs	[2.27g]

## **Material Specifications**

Description	Material	Plating	
-------------	----------	---------	--

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 18 GHz SMA Female Connector Solder Attachment Press-In Mount Tab Terminal, .200 inch Diameter LCCN3164



18 GHz SMA Female Connector Solder Attachment Press-In Mount Tab Terminal, .200 inch Diameter

### **LCCN3164**

Contact		Gold	
		MIL-G-45204	
Insulation	PTFE		
Body	Brass	Gold	
		MIL-G-45204	

### **Environmental Specifications**

Compliance Certifications (see product page for current document)

#### **Plotted and Other Data**

18 GHz SMA Female Connector Solder Attachment Press-In Mount Tab Terminal, .200 inch Diameter from L-com has same day shipment for domestic and International orders. Our portfolio includes coaxial cable assemblies, connectors, adapters and custom products as well as lightning and surge protectors, NEMA rated enclosures, and an RF product line which includes antennas, amplifiers, passive, and active components. Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 18 GHz SMA Female Connector Solder Attachment Press-In Mount Tab Terminal, .200 inch Diameter LCCN3164

URL: https://www.l-com.com/18-ghz-sma-female-connector-solder-attachment-press-in-mount-tab-terminal-.200-inch-diameter-lccn3164-p.aspx

The information contained within this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part in order to impliment improvements. L-com reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. L-com does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and L-com does not assume liability arising out of the use of any part or document.ontained within this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part in order to impliment improvements. L-com reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. L-com does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and L-com does not assume liability arising out of the use of any part or document.

# **L-com CAD Drawing**

